


A Brief Background

- Significant decline in number of returning adults in recent decades
- Culturally important to area tribes
- Important to local ecosystem







TRIBAL HARVEST AND ESCAPEMENT IN FIFTEENMILE CREEK



SUCCESSFUL SPAWNERS IN FIFTEENMILE CREEK

- * Résults and dost ét om estimitate d'20829 pt Spaving regliser par par aproperes 29 pp. nt in ODFW's Fifteenmile Creek
- · Thirty-two-weights assigned
- Famplerent that spawhed in the second of the
- Estimates drastically different from the escapement estimates
 - Errors in escapement methods?
 - Pre-spawn mortality?







Hood River Recolonization

- Distribution increasing since removal of Powerdale Dam
- No lamprey found in tributaries thus far
- Recolonization primarily in main-stem and East Fork



FUTURE PLANS

Document distribution and species presence within smaller Columbia River tributaries

Mussel/ammocoete interactions
Tumwater Falls on the John Day River
Radio telemetry within Fifteenmile Creek
Collection and PIT tagging within Hood River



ACKNOWLEDGEMENTS

Oregon Department of Fish and Wildlife (ODFW)

Wasco County Soil and Water Conservation District

Hood River County

Cities of The Dalles and Dufur

Columbia River Inter-Tribal Fish Commission (CRITFC)

Numerous private landowners in Fifteenmile Creek, Mill Creek, and Hood River watersheds

